## In the Claims:

Following is a complete listing of the claims pending in the application, as amended:

- 1-6. (Canceled)
- 7. (Currently Amended) The planarizing machine of claim 1A planarizing machine, comprising:
  - a table having a support surface;
  - a processing pad on the support surface;
- a carrier assembly having a head configured to hold a microelectronic workpiece and a drive assembly carrying the head relative to the support surface; and
- a solution dispenser separate from the head, the solution dispenser being configured to discharge a planarizing solution onto a plurality of locations on the pad, wherein the solution dispenser comprises:\_an elongated support extending over the pad at a location spaced apart from a travel path of the head; a fluid passageway carried by the support through which a planarizing solution can flow; and a fluid discharge unit slidably carried by the support and in fluid communication with the fluid passageway, the fluid discharge unit being moveable along the support to discharge a flow of the planarizing solution onto separate areas of the processing pad.
- 8. (Currently Amended) The planarizing machine of claim 1A planarizing machine, comprising:
  - a table having a support surface;
  - a processing pad on the support surface;
- a carrier assembly having a head configured to hold a microelectronic workpiece and a drive assembly carrying the head relative to the support surface; and
- a solution dispenser separate from the head, the solution dispenser being configured to discharge a planarizing solution onto a plurality of locations on the pad.

wherein the solution dispenser comprises: a support extending over the pad at a location spaced apart from a travel path of the head, a fluid passageway carried by the support through which a planarizing solution can flow, and a nozzle carried by the support and in fluid communication with the fluid passageway, the nozzle being rotatably coupled to the support.

- 9-17. (Canceled)
- 18. (Currently Amended) The planarizing machine of claim 12 A planarizing machine, comprising:
  - a table having a support surface;
  - a processing pad on the support surface;
- a carrier assembly having a head configured to hold a microelectronic workpiece and a drive assembly carrying the head; and
- a solution dispenser separate from the head, the solution dispenser having a support extending over the pad and a distributor carried by the support, the distributor being configured to discharge a planarizing solution from a plurality of locations along the support, wherein: the support comprises an elongated arm and a fluid passageway carried by the arm through which a planarizing solution can flow, and the distributor further comprises a fluid discharge unit slidably carried by the arm and in fluid communication with the fluid passageway, the fluid discharge unit being moveable along the arm to discharge a flow of the planarizing solution along different areas of the processing pad.
- 19. (Currently Amended) The planarizing machine of claim 12-A planarizing machine, comprising:
  - a table having a support surface;
  - a processing pad on the support surface;
- <u>a carrier assembly having a head configured to hold a microelectronic</u> workpiece and a drive assembly carrying the head; and

a solution dispenser separate from the head, the solution dispenser having a support extending over the pad and a distributor carried by the support, the distributor being configured to discharge a planarizing solution from a plurality of locations along the support, wherein: the support comprises an elongated arm and a fluid passageway carried by the arm through which a planarizing solution can flow; and the distributor further comprises a nozzle carried by the arm and in fluid communication with the fluid passageway, the nozzle being rotatably coupled to the arm.

- 20. (Original) A planarizing machine, comprising:
  - a table having a support surface;
  - a processing pad on the support surface;
- a carrier assembly having a head configured to hold a microelectronic workpiece and a drive assembly carrying the head; and
- a solution dispenser having support above the pad and a nozzle moveably coupled to the support, the nozzle being coupleable to a planarizing solution.
  - 21. (Original) The planarizing machine of claim 20 wherein:

the support comprises an elongated arm and a fluid passageway carried by the arm through which a planarizing solution can flow; and

the nozzle is slidably carried by the arm and in fluid communication with the fluid passageway.

22. (Original) The planarizing machine of claim 20 wherein:

the support comprises an elongated arm and a fluid passageway carried by the arm through which a planarizing solution can flow; and

the nozzle is rotatably coupled to the arm.

23-51. (Canceled)

52. (Currently Amended) The method of claim 43-A method of processing a microelectronic workpiece, comprising:

removing material from the workpiece by pressing the workpiece against a contact surface of a processing pad and imparting relative motion between the workpiece and the contact surface; and

discharging a planarizing solution directly onto a first region of the contact surface and concurrently discharging the planarizing solution directly onto a second region of the contact surface separate from the first region, the planarizing solution being deposited onto the first and second regions separate from a head carrying the workpiece, wherein discharging the planarizing solution comprises (a) passing the planarizing solution through a fluid discharge unit that is moveably carried by a support over the processing pad and (b) concurrently moving the fluid discharge unit relative to the support to discharge the planarizing fluid at different regions across the contact surface.

- 53. (Original) The method of claim 52 wherein moving the fluid discharge unit comprises sliding the fluid discharge unit along the support.
- 54. (Original) The method of claim 52 wherein moving the fluid discharge unit comprises rotating the fluid discharge unit about a pivot point on the support.
  - 55. (Canceled)